

- 1. True (A) or false (B) click on the correct answer: A Kenyan study showed that medical students' decision to choose paediatrics as a career was significantly influenced by the role modelling of their teachers.
- 2. True (A) or false (B) click on the correct answer: It can be assumed that prior training in IMCI (Integrated Management of Childhood Illness) will lead to an improvement in the level of care provided to children.
- 3. True (A) or false (B) click on the correct answer:
 In the clinical management of pneumonia, it is vitally important to count the respiratory rate.
- 4. True (A) or false (B) click on the correct answer:

 Wherever possible, children's health care should be offered as a dedicated service separate from the general adult service because this raises the level of paediatric care and skill.
- 5. True (A) or false (B) click on the correct answer:
 Health counsellors can confidently counsel all mothers on feeding their HIV-exposed infants, because there is a standard policy that is applicable to all.
- 6. True (A) or false (B) click on the correct answer: HIV-positive mothers should know that breastfeeding can carry a risk of transmission, especially if their compliance with ART prophylaxis is poor.
- 7. True (A) or false (B) click on the correct answer:
 Breastfeeding has great survival and health benefits for all infants, irrespective of the mother's HIV status.
- 8. True (A) or false (B) click on the correct answer: When the baby is already HIV infected, further breastfeeding is not advised.
- 9. True (A) or false (B) click on the correct answer:

 The risk of breastmilk transmission is considered to be independent of the mother's viral load.
- **10. True (A) or false (B) click on the correct answer:** If the mother's viral load is suppressed by suitable antiretroviral treatment, the risk of transmission is much reduced

- **11. True (A) or false (B) – click on the correct answer:** If an HIV-infected mother who has chosen to bottle-feed her baby gives an occasional breastfeed, this is highly detrimental with regard to transmission risk.
- **12.** True (A) or false (B) click on the correct answer: The risk of breastmilk transmission of HIV depends on the breastmilk viral load.
- **13.** True (A) or false (B) click on the correct answer: In conditions where replacement feeding is not AFASS, HIV-free survival is not much different whether or not the baby is bottle-fed or breastfed.
- **14.** True (A) or false (B) click on the correct answer: Breastmilk viral load can be reduced by adequate maternal ARV prophylaxis.
- **15. True (A) or false (B) click on the correct answer:** Where female circumcision is still practised, it is attributable to cultural and traditional reasons rather than to religion.
- **16. True (A) or false (B) – click on the correct answer:** Even though the practice of female circumcision should be discouraged, it carries few health hazards.
- **17. True (A) or false (B) click on the correct answer:**Parental education has a decisive role in eliminating female circumcision.
- **18.** True (A) or false (B) click on the correct answer: Ultrasound examination of the skull can be done easily in children of all ages.
- **19.** True (A) or false (B) click on the correct answer: Diagnostic accuracy in cranial ultrasound of children with a closed fontanelle is operator independent.
- **20.** True (A) or false (B) click on the correct answer: If the sutures are closed, a cranial ultrasound scan is not practicable.

CPD questionnaires must be completed online via www.cpdjournals.org.za. After submission you can check the answers and print your certificate. Questions may be answered up to 6 months after publication of each issue.

Accreditation number: MDB001/003/01/2010